## **DUAL SH DBC SST**

35.8" x 21.2" x 18.0" (90.9cm x 53.8cm x 45.7cm)



- Brews 1/2, 1 or 1 1/2 gallon (1.9, 3.8 or 5.7L) batches
- Brews 18.9gal (71.5L) of perfect coffee per hour
- Reduce accidents with safety features that decrease hot splashes from funnel, eliminate brewing when funnel or server is not present
- Simplify installation and calibration by creating your own recipe cards and dedicated funnels with the BrewWISE Recipe Writer using your PC (Windows® compatible).
- Energy saver mode reduces tank temperature during idle periods
- Operate any combination of BrewWISE equipment error-free with wireless brewer-grinder interface through Smart Funnel with SplashGard®
- Stores individual coffee and flavor profiles using adjustable water volume, bypass percentage, pulse brew, and pre-infusion timing
- Troubleshoot all switches and electrical components from the front panel with advanced diagnostic service tools

Servers and airpots sold separately

Agency:

Interface: Wireless

EHE CE

### **Specifications**

Product #: 33500.0008

Finish: Stainless

Funnel: Smart Funnel

Faucet: Upper

Water Access: Plumbed

#### **Additional Features**

Funnel Locks

#### **Electrical & Capacity**

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
220-240	27.0-29.5	6000-7000	No	-	283	60°F (15.5°C)	1	2	50/60

#### Plumbing Requirements

1 lamoning responsibilities							
PSI	kPa Fitting Supplied		Water Flow Required (GPM)				
20-90	138-621	1/4" Male Flare Fitting	-				


#### **CAD Drawings**


2D	Revit	KLC
•		




BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on: 02/02/2017







Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	18.0 in.	35.8 in.	21.2 in.	-	-	-	92.500 lbs	12.399 ft³
Metric	45.7 cm	90.9 cm	53.8 cm	-	-	-	41.958 kgs	0.351 m³



## Related Products & Accessories: DUAL SH DBC SST(33500.0008)



FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



DRIP TRAY KIT, DUAL & SH

Product #: 27150.0000



1SH STAND, CE 220-240V 50/60 HZ EURO

Product #: 27825.0001



1SH STAND, CE 220-240V W/UK PLUG

Product #: 27825.0002



1SH STAND, CE 220V 60 HZ INMETRO

Product #: 27825.0006



2SH STAND, CE 220-240V 50/60HZ EURO

Product #: 27875.0001



2SH STAND, CE 220V 60HZ INMETRO

Product #: 27875.0005




BREWWISE RECIPE WRITER

Product #: 34444.0000



CARD ASSY, RECIPE TRANSFER (BRW)

Product #: 34447.0000



CARD ASSY, TRANSFER-AD (BRW)

Product #: 34448.0000







# Serving & Holding Options: DUAL SH DBC SST(33500.0008)



SH SERVER, 1.5G/5.7L NO FL ADJ TMR

Product #:27850.0001



SH SERVER, 1.5G/5.7L BLK NO FL ADJ TMR

Product #:27850.0004



SH SERVER, 1.5G/5.7L 45 MIN ADJ TMR

Product #:27850.0006



SH SERVER, 1.5G BLK 60 MIN ADJ TMR

Product #:27850.0008



SH SERVER, 1.5G 120 MIN ADJ TMR AUTO OFF

Product #:27850.0009



SH SERVER, 1.5G/5.7L 240 MIN ADJ TMR

Product #:27850.0016



SH SERVER, 1.5G/5.7L BLK 120 MIN ADJ TM

Product #:27850.0022



SH-S SERVER 1G 60 MIN ADJ TMR

Product #:27850.0046

